## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	893	(setting or configur \$6) with (pointer mouse) with select \$3 with (mode operation)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L2	1	L1 with (scroll\$3 and sort\$3 and menu)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L3	1	L1 with (scroll\$3 and sort\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L4	58	L1 with (user near3 interface)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L5	734	(setting or configur \$6) with (cursor) with select\$3 with (mode operation)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L6	12	L5 with (user near3 interface)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L7	34	(selection with (setting or configur \$8) with ((single near3 click) or (double near3 click)))	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L8	33	(selection with (setting or configur \$8) with (cursor pointer)).ti,ab.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L9	43	((cursor pointer) with gesture).ti,ab.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L10	36	((cursor pointer) with gesture) and (drop\$1down near3 menu)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22

L11	5		US-PGPUB; USPAT	OR	OFF	2009/05/18
L12	3	L11 and sort\$3	US-PGPUB; USPAT	OR	OFF	2009/05/18 10:22
L13	1741	(715/810).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L14	234	(715/811).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L15	720	(715/856).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L16	318	"6,434,568" "6,397,228" "6,240,430" "6,208,340" "6,160,555" "5,982,370" "5,982,370" "5,886,7162" "5,781,193" "5,684,210" "5,594,8477" "5,597,796" "5,276,797"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18
L17	49	"6434568"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22

L18	14	(("6434568") or ("6397228") or ("6240430") or ("6208340") or ("6160555") or ("5982370") or ("5982370") or ("59867162") or ("5867162") or ("5781193") or ("5781193") or ("5564210") or ("5594847") or ("5530796") or ("55276797")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L19	1	("6121968").PN.	US-PGPUB; USPAT	OR	OFF	2009/05/18 10:22
L20	1	("6249606").PN.	US-PGPUB; USPAT	OR	OFF	2009/05/18 10:22
L21	893	(setting or configur \$6) with (pointer mouse) with select \$3 with (mode operation)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L22	58	L21 with (user near3 interface)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L23	1	L21 with (scroll\$3 and sort\$3 and menu)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L24	734	(setting or configur \$6) with (cursor) with select\$3 with (mode operation)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L25	12	L24 with (user near3 interface)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L26	1	L21 with (scroll\$3 and sort\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L27	5	(US-20020194111-\$ or US-20060075363- \$ or US- 20060200780-\$). did. or (US-6249606- \$ or US-5990893-\$ or US-5917491-\$ or US-5612719-\$).did.	US-PGPUB; USPAT	OR	OFF	2009/05/18 10:22

L28	34	(selection with (setting or configur \$8) with ((single near3 click) or (double near3 click)))	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L29	33	(selection with (setting or configur \$8) with (cursor pointer)).ti,ab.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L30	3	L27 and sort\$3	US-PGPUB; USPAT	OR	OFF	2009/05/18 10:22
L31	43	((cursor pointer) with gesture).ti,ab.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L32	36	((cursor pointer) with gesture) and (drop\$1down near3 menu)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L33	318	"6,434,568" "6,397,228" "6,240,430" "6,160,555" "5,982,370" "5,982,370" "5,867,162" "5,887,162" "5,864,210" "5,584,847" "5,530,796" "5,276,797"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L34	234	(715/811).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L35	1741	(715/810).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L36	720	(715/856).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L37	49	"6434568"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22

L38	14	(("6434568") or ("6397228") or ("6240430") or ("6260340") or ("6160555") or ("5982370") or ("5867162") or ("5867162") or ("5781193") or ("5781193") or ("5664210") or ("55694847") or ("5530796") or ("55276797")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L39	1	("6121968").PN.	US-PGPUB; USPAT	OR	OFF	2009/05/18 10:22
L40	1	("6249606").PN.	US-PGPUB; USPAT	OR	OFF	2009/05/18 10:22
L41	1	("6249606").PN.	US-PGPUB; USPAT	OR	OFF	2009/05/18 10:22
L42	345	(selection with (setting or configur \$8) with (cursor pointer)) same menu	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L43	56	L42 and "715"/\$. ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L44	133	((setting or configur \$6) with (pointer mouse) with (selection)) same menu	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L45	40	L44 and "715"/\$. ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L46	1	(drop\$1down or pull \$1down) with menu with sort\$3 with scroll\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L47	81	(((drop\$1down or pull \$1down) with menu).ti,ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L48	114	(((drop adj1 down) or (pull adj1 down)) with menu).ti,ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22

L49	81	((drop\$1down or pull \$1down) with menu).ti,ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L50	41	L48 not L49	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L51	111	((((drop adj1 down) or (pull adj1 down)) with menu) same ((pointer cursor) with (interaction command operation mode movement) with (config\$8 modif \$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L52	20	((((drop adj1 down) or (pull adj1 down)) with menu) same ((pointer cursor) with (interaction command operation mode movement) with (config\$8 modif \$4))	US PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/18 10:22
L53	154	(menu) with ((pointer cursor) with (interaction command operation mode movement) with (config\$8 modif \$4))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/18
L54	4300	((pointer cursor) with (interaction command operation mode movement) with (config\$8 modif \$4))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/18 10:22
L55	560	((pointer cursor) with (interaction command operation mode movement) with (config\$8 modif \$4)) and "715"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/18 10:22

L56	881	((pointer cursor) with (interaction command operation mode movement) with (config\$8 modif \$4 setting)) and "715"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/18 10:22
L57	851	((pointer cursor) with (command operation mode movement) with (config\$8 modif\$4 setting)) and "715"/ \$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/18 10:22
L58	189	((pointer cursor) with (command) with (config\$8 modif \$4 setting)) and "715"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/18 10:22
L59	123	(((pointer cursor) with (command operation mode movement) with ((config\$8 modif\$4 setting) with (table interface dialog))) and "715"(\$.ccls.	US PGPUB; USPAT; EPO; JPO	OR	OZ	2009/05/18
L60	9	("4879648"   "5363481"   "5721847"   "5790115"   "5844560"   "6144378"   "6295057"   "6300967"   "6388686").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L61	1	("7246329").PN.	US-PGPUB; USPAT	OR	OFF	2009/05/18 10:22
L62	234	(715/811).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L63	1741	(715/810).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L64	720	(715/856).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22

L65	4	(("6585859") or ("5996011") or ("6895111") or ("6781608")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L66	4	(("6595859") or ("5996011") or ("6895111") or ("6781608")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L67	1	("6121968").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L68	123	(((pointer cursor) with (command operation mode movement) with ((config\$8 modif\$4 sett\$4) with (table interface dialog))) and "715"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/18 10:22
L69	3	(("7246329") or ("6249606") or ("5917491")).PN.	US-PGPUB; USPAT	OR	OFF	2009/05/18 10:22
L70	234	(715/811).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L71	234	(715/811).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L72	720	(715/856).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:22
L73	893	(setting or configur \$6) with (pointer mouse) with select \$3 with (mode operation)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L74	58	L73 with (user near3 interface)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L75	34	(selection with (setting or configur \$8) with ((single near3 click) or (double near3 click)))	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22

L76	36	((cursor pointer) with gesture) and (drop\$1down near3 menu)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L77	36	((cursor pointer) with gesture) and (drop\$1down near3 menu)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L78	33	(selection with (setting or configur \$8) with (cursor pointer)).ti,ab.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:22
L79	123	((pointer cursor) with (command operation mode movement) with ((config\$8 modif\$4 setting) with (table interface dialog))) and "715"(\$.cols.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/18 10:22
L80	20	(((drop adj1 down) or (pull adj1 down)) with menu) same ((pointer cursor) with (interaction command operation mode movement) with (config\$8 modif \$4))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/18 10:22
S1	673	(setting or configur \$6) with (pointer mouse) with select \$3 with (mode operation)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/10 13:43
S2	1	S1 with (scroll\$3 and sort\$3 and menu)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/10 13:29
S3	1	S1 with (scroll\$3 and sort\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/10 13:29
S4	25	S1 with (user near3 interface)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/10 13:43
S5	514	(setting or configur \$6) with (cursor) with select\$3 with (mode operation)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/10 13:43

S6	7	S5 with (user near3 interface)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/10 15:08
S7	27	(selection with (setting or configur \$8) with ((single near3 click) or (double near3 click)))	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/10 15:55
S8	21	(selection with (setting or configur \$8) with (cursor pointer)).ti,ab.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/10 16:09
S9	34	((cursor pointer) with gesture).ti,ab.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/10 17:09
S10	25	((cursor pointer) with gesture) and (drop\$1down near3 menu)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/10 17:10
S11	7	(US-200201941111-\$ or US-20060075363- \$ or US- 20060200780-\$). did. or (US-6249606- \$ or US-5990893-\$ or US-5917491-\$ or US-5612719-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/04/10 18:12
S12	3	S11 and sort\$3	US-PGPUB; USPAT	OR	OFF	2007/04/10 18:12
S13	1165	(715/810).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/04/11 09:23
S14	162	(715/811).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/04/11 09:24
S15	585	(715/856).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/04/11 09:24

S16	200	"6,434,568" "6,397,228" "6,240,430" "6,160,555" "5,982,370" "5,930,813" "5,867,162" "5,828,376" "5,781,193" "5,664,210" "5,594,847" "5,530,796" "5,276,797"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/04/11
S17	19	"6434568"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/04/11 09:29
S18	14	(("6434568") or ("6397228") or ("6240430") or ("62604340") or ("6160555") or ("5982370") or ("5982370") or ("58828376") or ("5781193") or ("5781193") or ("5584847") or ("553796") or ("55276797")).PN.	US-PCPUB; USPAT; USOCR	OR	OFF	2007/04/11
S19	1	("6121968").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/18 13:57
S20	1	("6249606").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/18 13:57
\$21	714	(setting or configur \$6) with (pointer mouse) with select \$3 with (mode operation)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:08
S22	27	S21 with (user near3 interface)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:08
S23	1	\$21 with (scroll\$3 and sort\$3 and menu)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:08

S24	567	(setting or configur \$6) with (cursor) with select\$3 with (mode operation)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:08
S25	10	S24 with (user near3 interface)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:08
S26	1	S21 with (scroll\$3 and sort\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:08
S27	7	(US-200201941111-\$ or US-20060075363- \$ or US- 20060200780-\$). did. or (US-6249606- \$ or US-5990893-\$ or US-5917491-\$ or US-5612719-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/09/18 15:08
S28	27	(selection with (setting or configur \$8) with ((single near3 click) or (double near3 click)))	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:08
S29	26	(selection with (setting or configur \$8) with (cursor pointer)).ti,ab.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:08
S30	3	S27 and sort\$3	US-PGPUB; USPAT	OR	OFF	2007/09/18 15:08
S31	36	((cursor pointer) with gesture).ti,ab.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:08
S32	26	((cursor pointer) with gesture) and (drop\$1down near3 menu)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:08

S33	215	"6,434,568" "6,397,228" "6,240,430" "6,160,555" "5,982,370" "5,982,370" "5,867,162" "5,828,376" "5,781,193" "5,664,210" "5,534,847" "5,530,796" "5,276,797"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/18 15:08
S34	179	(715/811).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/18 15:08
S35	1278	(715/810).COLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/18 15:08
S36	611	(715/856). COLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/18 15:08
S37	22	"6434568"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/18 15:08
<b>S38</b>	14	(("6434568") or ("6397228") or ("620430") or ("6208340") or ("6100555") or ("5982370") or ("5982370") or ("59828376") or ("5828376") or ("5864210") or ("5584847") or ("55594847") or ("55276797")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/18 15:08
S39	1	("6121968").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/18 15:08
S40	1	("6249606").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/18 15:08
S41	1	("6249606").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/12 13:21

S42	235	(selection with (setting or configur \$8) with (cursor pointer)) same menu	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/12 15:52
S43	46	S42 and "715"/\$. ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/12 15:52
S44	113	((setting or configur \$6) with (pointer mouse) with (selection)) same menu	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/12 17:13
S45	34	S44 and "715"/\$. ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/12 17:14
S46	1	(drop\$1down or pull \$1down) with menu with sort\$3 with scroll\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/12 17:22
S47	75	((drop\$1down or pull \$1down) with menu).ti,ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/12 17:23
S50	102	(((drop adj1 down) or (pull adj1 down)) with menu).ti,ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/13 08:08
S51	75	((drop\$1down or pull \$1down) with menu).ti,ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/13 08:08
S52	35	S50 not S51	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/13 08:08
S53	10	(((drop adj1 down) or (pull adj1 down)) with menu) same ((pointer cursor) with (interaction command operation mode movement) with (config\$8 modif \$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/13 08:49

S54	15	[(((drop adj1 down) or (pull adj1 down)) with menu) same ((pointer cursor) with (interaction command operation mode movement) with (config\$8 modif \$4))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 08:49
S55	122	(menu) with ((pointer cursor) with (interaction command operation mode movement) with (config\$8 modif \$4))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 08:53
S56	3580	((pointer cursor) with (interaction command operation mode movement) with (config\$8 modif \$4))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 09:28
S57	462	i((pointer cursor) with (interaction command operation mode movement) with (config\$8 modif \$4)) and "715"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 09:29
S58	750	((pointer cursor) with (interaction command operation mode movement) with (config\$8 modif \$4 setting)) and "715"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 09:29
S59	722	((pointer cursor) with (command operation mode movement) with (config\$8 modif\$4 setting)) and "715"/ \$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 09:30
S60	166	((pointer cursor) with (command) with (config\$8 modif \$4 setting)) and "715"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 09:31

S61	94	((pointer cursor) with (command operation mode movement) with ((config\$8 modif\$4 setting) with (table interface dialog))) and "715"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13
S62	9	("4879648"   "5363481"   "5721847"   "5790115"   "5844560"   "6144378"   "6295057"   "6300967"   "6388686").PN.	US PGPUB; USPAT; USOCR	OR	ON	2008/03/13
<b>S6</b> 3	1	("7246329").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/13 13:31
S64	194	(715/811).OQLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/13 14:21
<b>S</b> 65	1382	(715/810).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/13 14:21
S66	645	(715/856).OQLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/13 14:22
S67	4	(("6585859") or ("5996011") or ("6895111") or ("6781608")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/13 14:31
S68	4	(("6595859") or ("5996011") or ("6895111") or ("6781608")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/13 14:32
<b>S</b> 69	1	("6121968").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/13 16:48
S70	112	(((pointer cursor) with (command operation mode movement) with ((config\$\$ modif\$4 sett\$4) with (table interface dialog))) and "715"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/19

S71	3	(("7246329") or ("6249606") or ("5917491")).PN.	US-PGPUB; USPAT	OR	OFF	2008/08/19 15:16
S72	216	(715/811).OOLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/13 09:23
S73	216	(715/811).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/13 09:23
S74	686	(715/856).OOLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/13 09:28
S75	846	(setting or configur \$6) with (pointer mouse) with select \$3 with (mode operation)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/13 09:28
S76	53	S75 with (user near3 interface)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/13 09:28
S77	33	(selection with (setting or configur \$8) with ((single near3 click) or (double near3 click)))	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/13 09:28
S78	32	((cursor pointer) with gesture) and (drop\$1down near3 menu)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/13 09:28
S79	32	((cursor pointer) with gesture) and (drop\$1down near3 menu)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/13 09:28
S80	30	(selection with (setting or configur \$8) with (cursor pointer)).ti,ab.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/13 09:29
S81	1114	(((pointer cursor) with (command operation mode movement) with ((config\$8 modif\$4 setting) with (table interface dialog))) and "715"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/13 09:29

S82 17		US-PGPUB; USPAT; EPO; JPO	OR		2008/10/13 09:29
--------	--	---------------------------------	----	--	---------------------

5/18/2009 10:26:58 AM

C:\ Documents and Settings\ tvu2\ My Documents\ EAST\ Workspaces\ 10617529.wsp